Cumulative Index 1988

Volume 15

March GASTROINTESTINAL DISEASES, pages 1–203
June NON-INSULIN-DEPENDENT DIABETES MELLITUS, pages 205–435
September OFFICE GYNECOLOGY, pages 437–688
December MUSCULOSKELETAL PAIN SYNDROMES, pages 689–860

Note: Page numbers of complete issues and article titles are in **boldface** type.

Acceleration injuries, and neck pain, 693–695
Achilles tendons, disorders of, and foot pain, 812
Acrocyanosis, and finger pain, 759
Acyclovir, for herpes simplex virus, 501–502
Adenomyosis, and secondary dysmenorrhea, 553
Adenoviruses, enteric, and viral gastroenteritis, 54–55
Adhesions, labial, in premenarchal girls, 625–626
Amenorrhea, in adolescents, 632–633
Aminoguanidine, for atherosclerosis, and diabetes mellitus, 281
Angiodysplasia, and lower gastrointestinal bleeding, 95
Ankle, and foot, pain in, **809–826**
  forefoot, 820–825
    great toe, 822–823
    lesser toes, 823–824
    metatarsalgia, 821
  periarthritis. See *Periarthritis.*
Ankylosing spondylitis, and neck pain, 703
Antibiotics, broad-spectrum, for diverticular disease of colon, 118–119
  for acute cholecystitis, 150–151
Antisperm antibody tests, in clinical survey of infertility, 590–591
Arthritis, and knee pain, 800–803
  and wrist pain, 743–745
  patello-femoral, and knee pain, 804
  rheumatoid, and neck pain, 698–700
  vs. knee pain, 798
Arthrography, for knee pain, 805–806
Arthropathies, crystal-induced, and knee pain, 802–803
Arthroscopy, for knee pain, 806
Astrovirus, and viral gastroenteritis, 57–58
Athletes, female, menstrual disturbances in, 612–615
Atlantoaxial subluxation, and neck pain, 699

Back, low. See *Low back.*
Balloon tamponade, for gastroesophageal varices, 34–35, 178
Barium enema, to diagnose diverticular disease of colon, 116
  to screen for colorectal cancer, 70
Barrett's esophagus, reflux esophagitis and, 21
Basal body temperature, charting of, for contraception, 441
  in clinical survey of infertility, 585–586
Beta-adrenergic blockade, for gastroesophageal varices, 181–182
  for hypertension, in diabetic patients, 267–268
Bleeding, dysfunctional uterine. See *Dysfunctional uterine bleeding.*
  in lower gastrointestinal tract, 93–97
    etiology of, 94–95
    management of, 95–97

Bleeding (*Continued*)
in upper gastrointestinal tract. See *Upper gastrointestinal tract.*
vaginal, in adolescents, 635–636
in premenarchal girls, 626–627
Blood glucose, self-monitoring of, in non-insulin-dependent diabetes mellitus, **389–408**
accuracy, 403–404
compliance, 404–406
cost, 404
frequency, 402–403
goals and indications, 406–407
method, 390–391
procedure, 402
Bornholm disease, vs. musculoskeletal chest wall pain, 776
Breasts, abnormalities of, in premenarchal girls, 624–625
anatomy, embryology, and development of, 645–646
diseases of, **643–664**
benign, 646–647
breast cancer, 649–652
clinical followup for, 660
epidemiology and risk factors of, 649
psychosocial difficulties after, 660, 662
reconstruction after mastectomy, 659–660
screening for, 651–652
biopsy in, 656
Breast Cancer Detection Project in, 654
by primary care physician, 655
Health Insurance Plan Study in, 653–654
mammography in, 654–655
selfexamination in, 655
treatment of, 657–659
nonsurgical, 659
etiology of, 648
presentation and treatment of fibrocystic changes, 648–649
examination of, 643–645
Bromocriptine, for premenstrual syndrome, 484
Buerger's disease, and finger pain, 759
Bursitis, olecranon, and elbow pain, 732–733
retrocalcaneal, and foot pain, 813
subacromial, and shoulder pain, 713, 715–716
trochanteric, treatment of, 790–791
vs. knee pain, 799–800

Calcium, supplementation of, for osteoporosis, 596
Calendar method, for contraception, 441
Calicivirus, and viral gastroenteritis, 55–57
Campylobacter, and diseases of colon, 132–134
Cancer, colorectal. See *Colorectal cancer.*
of breast. See *Breasts.*
of cervix, causes of, 465
of colon, and lower gastrointestinal bleeding, 94
Candidiasis. See *Vaginitis.*
Capsulitis, adhesive, and shoulder pain, 716
Carcinoembryonic antigen, to screen for colorectal cancer, 68
Carcinoma, hepatocellular, viral hepatitis and, 164–165
of shoulder, and shoulder pain, 722
Carpal tunnel syndrome, and finger pain, 762
and wrist pain, 746–747
Cephalosporins, for gonorrhea, 494–495
for pelvic inflammatory disease, 511–512
Cerebral disease, in diabetic patients with hypertension, 256
Cervical caps, for contraception, 446
Cervix, cancer of, causes of, 465
Chemonucleolysis, for low back pain, 845
Chenodeoxycholic acid, for cholecystitis, 154
Chest wall, musculoskeletal pain in. See *Musculoskeletal chest wall pain.*
Chlamydia trachomatis infection, 503–507
complications of, 507
diagnosis of, 504–506
epidemiology of, 503
pathophysiology of, 503–504
prevention of, 507
treatment of, 506
Cholecystitis, and cholelithiasis, **147–156**
acute cholecystitis, 149–151
alternative treatment of, 154–155
choledocholithiasis and, 152–153
chronic cholecystitis, 151–152
classification of gallstones, 147
complications of, 153
differential diagnosis of, 153
formation of gallstones, 147–148
natural history of gallstones, 148
pain after cholecystectomy, 155
risk of developing gallstones, 148
treatment of, 152
Cholecystogram, of chronic cholecystitis, 151
Choledocholithiasis, cholecystitis and, 152–153
Cholera, and diseases of colon, 131–132
Cholescintigraphy, of acute cholecystitis, 150
Cholesterol, menopause and, 601–602
Chondromalacia patella, and knee pain, 803–804
Chymopapain, for low back pain, 845

Cimetidine, for reflux esophagitis, 24–25
Cirrhosis, gastroesophageal varices in. See *Varices*.
Clostridium difficile, and diseases of colon, 130–131
Colon, bacterial diseases of, **125–145**
campylobacter, 133–134
cholera, 131–132
Clostridium difficile, 130–131
day care centers and, 136
diagnosis of, 136–138
E. coli, 125–128
enterohemorrhagic, 127–128
enteroinvasive, 127
enteropathogenic, 125–126
enterotoxigenic, 126–127
salmonella, 128–129
shigella, 129–130
treatment of, 138–141
yersinia, 134–136
cancer of, and lower gastrointestinal bleeding, 94
diverticular disease of, **111–124**
clinical presentation and management of, 114–117
diverticular hemorrhage, 116–117
diverticulosis vs. diverticulitis, 114–116
differential diagnosis of, 117–118
epidemiology of, 111–113
pathophysiology of, 113–114
treatment of, 118–122
medical, 118–120
surgical, 121–122
polyps of, and lower gastrointestinal bleeding, 95
Colonoscopy, to diagnose diverticular disease, of colon, 116
to screen for colorectal cancer, 69–70
Colorectal cancer, screening for, **63–77**
acceptable costs, 74
early asymptomatic phase, 65–66
good test available, 67–74
importance of health problem, 65
superiority of early treatment, 66–67
treatment available, 65
ColoScreen Self-Test, to screen for colorectal cancer, 71
Colposcopy, to evaluate abnormal pap smear, 467, 469
Condoms, for contraception, 442–443
adolescent use of, 638
Condyloma acuminatum, 495–498
complications of, 496–497
diagnosis of, 496
prevention of, 498
treatment of, 497–498
Contraception, **437–459**. See also *Oral contraceptives*.
cervical caps in, 446
combination oral contraceptives in, 449–451
condoms in, 442–443
contraceptive sponges in, 443–444
diaphragms in, 444–445
fertility awareness techniques in, 440–442
future trends in, 457–458
historical aspects of, 437–438
hormonal delivery systems in, 453–454
in adolescents, 637–639
intrauterine devices in, 447–449
lactation in, 455–456
postcoital, 456
progestin-only oral contraceptives in, 451–453
psychology of, 457
selection of method, 438–440
sterilization in, 454–455
vaginal spermicides in, 446–447
Coronary artery disease, in diabetic patients with hypertension, 256
Coronavirus, and viral gastroenteritis, 58
Corticosteroids, for low back pain, 843–844
Costochondritis, vs. musculoskeletal chest wall pain, 772–774
Crohn's disease, and lower gastrointestinal bleeding, 94–95
Cytology, cervical. See *Papanicolaou smear*.

Danazol, for premenstrual syndrome, 484
Diabetes mellitus, and candidiasis, 530–531
biopsychosocial approach to, **409–421**
life events in, 409–412
locus of control, 411–412
social support, 410–411
recent life events in, 412–417
locus of control, 415–417
social support, 413–415
classification and diagnostic criteria for, **205–225**
difficulties in, 214–218
impaired glucose tolerance test, 215–216
statistical risk classes, 216–218
indications for testing, 218
complications of, pathogenesis of, 278
prevention of, **277–284**
areas of investigation, 278
large vessel disease, 277
nephropathy, 281–282
neuropathy, 282
nonenzymatic protein glycosylation, 278–279
polyol pathway, 279
relative tissue hypoxia, 279–280
retinopathy, 282
small vessel disease, 277

Diabetes mellitus (*Continued*)
families of patients with, functional assessment of, **297–310**
compliance behavior, 301–302
diabetic control and family functioning, 299–303
indications for, 303–304
primary care interventions, 306–308
questionnaires for, 306
role in maintaining obesity, 302–303
frequency of, 208, 210–214
gestational. See *Gestational diabetes mellitus*.
insulin-dependent, frequency of, 211–212
non–insulin-dependent. See *Non–insulin-dependent diabetes mellitus*.
Diaphragms, for contraception, 444–445
Diets, components of, for non–insulin-dependent diabetes mellitus, 338–340
Diffuse idiopathic skeletal hyperostosis, and neck pain, 703
Digital rectal examination, to screen for colorectal cancer, 68
Discectomy, for low back pain, 845
Diuretics, for hypertension, in diabetic patients, 263, 267, 268
for premenstrual syndrome, 482
for renal hypertension, in diabetic patients, 269
Diverticula, and lower gastrointestinal bleeding, 94
Diverticular disease, of colon. See *Colon*.
Dupuytren's contracture, and finger pain, 759–760
Dysfunctional uterine bleeding, **561–574**
anovulatory, 566–567
treatment of, 570–571
diagnosis of, 568–569
ovulatory, 565–566
physiology of menstruation and, 561–569
treatment of, 569–573
for menorrhagia, 571–572
for spotting, 569–570
surgical, 572–573
Dysmenorrhea, **549–559**
in adolescents, 633–635
primary, 550–551
treatment of, 554–555, 557–558
types of, 555–556
secondary, 552–553

E. coli, and diseases of colon. See *Colon*.
Elbow, pain in, **725–735**
anatomy in, 725–726
clinical evaluation of, 726–734
for entrapment neuropathies, 733–734
for epicondylitis, 731
for muscle strains, 727, 729
for olecranon bursitis, 732–733
for throwing injuries, 729–731
Emboli, infectious, and finger pain, 757
Endometriosis, and secondary dysmenorrhea, 552–553
Endometrium, biopsy of, in clinical survey of infertility, 586–587
Endorphins, in premenstrual syndrome, 476
Endoscopy, fiberoptic, to diagnose gastroesophageal varices, 177
to diagnose upper gastrointestinal bleeding, 32–33
Enema, barium, to diagnose diverticular disease of colon, 116
to screen for colorectal cancer, 70
Epicondylitis, and elbow pain, 731
Erythromelalgia, and finger pain, 759
Esophagitis, reflux. See *Reflux esophagitis*.
Estrogen, and fibrocystic breast changes, 648
deprivation of, in menopause, cardiovascular effects of, 600–603
replacement of, for menopause, 603–605
Extracorporeal shock-wave lithotripsy, for cholecystitis, 155

Fasciitis, plantar, and foot pain, 813–814
Fecal occult blood test, to screen for colorectal cancer, 70–74
Felon, and finger pain, 757
Fenamates, for primary dysmenorrhea, 554
Fetus, morbidity and mortality of, in gestational diabetes mellitus, 373–374
Fibroadenomas, of breast, clinical features of, 647
Fibrocystic breast changes, clinical features of, 647, 648–649
Fibromas, plantar, and foot pain, 819
Fibromyalgia, and neck pain, 694–695
Fibrositis syndrome, vs. musculoskeletal chest wall pain, 777–779
Finger, pain in, **751–766**
differential diagnosis of, 751–752
physical examination of, 752–764
for degenerative joint disease, 754–755
for infection, 756–757
for ischemic finger pain, 758–761
for jammed finger, 752–754
for joint sprains, 753–754
for neuropathic finger pain, 761–763
for reflex sympathetic dystrophy, 763–764
for subungual hematoma, 756
for traumatic or overuse tendinitis, 755–756
Flatfeet, and foot pain, 818–819

Fluoroscopy, to measure reflux esophagitis, 16
Foot, pain in. See *Ankle*.
Foreign bodies, vaginal, in premenarchal girls, 623
Fractures, and neck pain, 702
  march, and foot pain, 825
Freiberg's disease, and toe pain, 824

Gallstones. See *Cholecystitis*.
Gardnerella vaginalis, in adolescents, 639
Gastric loading, to measure reflux esophagitis, 16–17
Gastroenteritis, viral, **43–62**
  astrovirus and, 57–58
  calicivirus and, 55–57
  coronavirus and, 58
  enteric adenoviruses and, 54–55
  Norwalk-like agents and, 50–52, 54
  rotavirus and, 44, 46, 48–50
  small round viruses and, 58
Gastroscopy, **1–11**
  accuracy of, 9–10
  complications of, 8–9
  equipment for, 2–4
  indications for, 7–8
  procedure for, 4–7
Genograms, to assess families of diabetic patients, 305–306
Gestational diabetes mellitus, **371–387**
  complications of, 373–375
    fetal morbidity, 374
    fetal mortality, 373–374
    maternal morbidity and mortality, 375
  diagnosis of, 376–380
    glucose screening tests in, 376–378
  frequency of, 213
  management at term, 382–384
  metabolic changes in, 372–373
  population at risk for, 245, 375–376
  treatment of, 380–382
Glenohumeral joints, inflammation and trauma of, and shoulder pain, 718–720
Glucose, blood. See *Blood glucose*.
  supply of, for fetal development, 372–373
Glucose screening tests, to diagnose gestational diabetes mellitus, 376–378
Glucose tolerance, impaired, and earlier criteria for diabetes mellitus, 215–216
  as risk factor for diabetes mellitus, 238–239
  diagnostic criteria for, 221–222
  frequency of, 208, 210–214
Glycemia, control of, in diabetes mellitus, **311–326**
    and complications of diabetes mellitus, 312–314
    and frequency and severity of complications, 314–320
    prevention and improvement of, 315–320
  factors mandating against, 320–323
    psychosocial and financial risks, 322–323
    risk of hypoglycemia, 320–322
    unproven efficacy, 320
  in non–insulin-dependent diabetes mellitus, 292–293
Glycosylation, nonenzymatic protein, in diabetes mellitus, 278–279
Gonarthritis, chronic, and knee pain, 803
Gonorrhea, 491–495
  complications and sequelae of, 495
  diagnosis of, 491–493
  epidemiology of, 491
  pathophysiology of, 491
  treatment of, 493–495
Gout, and knee pain, 802
  and wrist pain, 744
Gynecology, adolescent, **629–642**
    menstrual cycle in, 632–636
      abnormal vaginal bleeding, 635–636
      amenorrhea, 632–633
      dysmenorrhea, 633–635
    patient evaluation in, 630–631
    sexuality and its consequences, 636–641
      contraception, 637–639
      sexual assault and abuse, 641
      sexually transmitted diseases, 639–641
  pediatric, **617–628**
    breast abnormalities, 624–625
    examination of child, 619–621
    examination of infant, 617–619
    sexual abuse, 627–628
    vaginal bleeding, 626–627
    vulvar lesions, 625–626
    vulvovaginitis in premenarchal girls, 621–624

H_2 blockers, for reflux esophagitis, 24–25
Hallux rigidus, and toe pain, 822
Hallux valgus, and toe pain, 822
Hematest, to screen for colorectal cancer, 71
Hematoma, subungual, and finger pain, 756
Hemoccult test, to screen for colorectal cancer, 70–74
Hemochromatosis, and finger pain, 760
Hemoglobin, glycosylated, to diagnose gestational diabetes mellitus, 378, 380
  to diagnose non–insulin-dependent diabetes mellitus, 290–291
  to monitor non–insulin-dependent diabetes mellitus, 405–406
HemoQuant, to screen for colorectal cancer, 71
Hepatitis, viral. See *Viral hepatitis*.

Herpes simplex virus, 498–503
and vaginitis, 540
complications of, 502–503
history and physical examination of, 499, 501
laboratory diagnosis of, 501
pathogenesis of, 498–499
prevention of, 503
treatment of, 501–502
Hip, pain in, **783–793**
acute, 792–793
diagnosis of, 783–785
anatomy in, 783
for anterior hip or groin pain. See *Osteoarthritis.*
physical examination in, 783, 785
in children, 792
lateral hip or trochanteric pain, 790–791
posterior hip or buttock pain, 791–793
Hormone replacement therapy, for menopause, 603–605
Huhner test, in clinical survey of infertility, 587–588
Human papilloma virus, and vaginitis, 540–541
Hyperglycemia, and end-organ disease, in non–insulin-dependent diabetes mellitus, 291
Hypertension, as risk factor for diabetes mellitus, 242
menopause and, 600–601
with non–insulin-dependent diabetes mellitus, **251–276**
and cardiac diseases, 256
and cerebral disease, 256
and diabetic retinopathy, 257
and peripheral vascular disease, 257
and renal disease, 256–257
clinical evaluation of, 254–256
diagnosis of, 253–254
emergencies in, 273–274
isolated systolic, 271
patient education on, 274–275
renal (parenchymal), 269–271
supine, with orthoststic hypotension, 271–273
treatment of, 258–261
alcohol and smoking cessation in, 261
exercise in, 260
nutritional considerations in, 259–260
stepped-care pharmacologic approach to, 261–269
weight reduction in, 258
Hypotension, orthostatic, supine hypertension with, in diabetic patients, 271–273
Hypoxia, relative tissue, in diabetes mellitus, 279–280
Hysterectomy, for contraception, 455
for dysfunctional uterine bleeding, 573
Hysterosalpingogram, in clinical survey of infertility, 588–589
Hysteroscopy, for dysfunctional uterine bleeding, 572
in clinical survey of infertility, 590

Imidazoles, for candidiasis, 532, 534
Impingement syndrome, and shoulder pain, 713, 715–716
Infertility, initial clinical survey of, **575–592**
assessment of cervical factor in, 587–588
assessment of immune factors in, 590–591
assessment of luteal phase defects in, 586–587
assessment of male factor in, 583–585
assessment of ovulatory factor in, 585
assessment of peritoneal factor in, 589–590
assessment of tubal factor in, 588–589
assessment of uterine factors in, 590
basal body temperature charts in, 585–586
definitions in, 575–576
diagnostic evaluations in, 583
endometrial biopsy in, 586, 587
history in, 579
luteinizing hormone ovulation prediction kits in, 586
physical examination in, 579, 583
serum progesterone in, 586, 587
treatment of, 591
physiology and pathophysiology of, 576–577
prevalence of, 576
Inflammatory bowel disease, and lower gastrointestinal bleeding, 94–95
Insulin, concentration of, as risk factor for diabetes mellitus, 239
for non–insulin-dependent diabetes mellitus, **665–683**
combined with sulfonylurea, 677–679
in incapacitated or socially dependent patient, 675
in poorly controlled obese patient, 677
monitoring and treatment goals in, 671–672
regimen for, 672–675
at followup, 673–674
in newly diagnosed patient, 672–673
surgery or intercurrent illness and, 676–677
vs. sulfonylureas, 364–366, 667–671
prophylactic, for gestational diabetes mellitus, 381–382
secretion of, sulfonylureas and, 356–357

Insulin-dependent diabetes mellitus, frequency of, 211–212
Intrauterine devices, and secondary dysmenorrhea, 552, 556
for contraception, 447–449
Irritable bowel syndrome, **99–110**
clinical presentation of, 101–103
chief complaint and history of present illness, 101
family history, 103
past medical history, 101–102
physical examination, 104
review of systems, 102–103
social history, 103–104
diagnosis of, 105–106
epidemiology of, 100
impression and assessment of, 104–105
treatment of, 106–108

Joplin's neuroma, and toe pain, 823

Ketoacidosis, diabetic, family interaction in, studies of, 300–301
Ketoconazole, for candidiasis, 534
Kidney disease, in diabetic patients with hypertension, 256–257
Knee, pain in, **795–808**
anatomy in, 795–796
arthritis and, 800–803
bacterial infection and, 801–802
chronic gonarthritis and, 803
crystal-induced arthropathies and, 802–803
diagnostic studies of, 805–806
differential diagnosis of, 798–800
patellar disorders and, 803–805
physical examination of, 796–798

Lactation, for contraception, 455–456
Laparoscopy, for primary dysmenorrhea, 557
in clinical survey of infertility, 589–590
Laser therapy, for nonvariceal bleeding, in upper gastrointestinal tract, 361
Leg-length discrepancy, and low back pain, 835
Lichen sclerosis et atrophicus, in premenarchal girls, 626
Lithium, for premenstrual syndrome, 484
Lithotripsy, extracorporeal shock-wave, for cholecystitis, 155
Little Leaguer's elbow, and elbow pain, 730–731
Low back, pain in, **827–848**
diagnosis of, 827–828
disc disease and, 832–833
disc herniation and, 833–834
leg-length discrepancy and, 835
management of, 837–843
braces and corsets in, 843
chemonucleolysis in, 845
extradural injections in, 843–844
mobilization and manipulation in, 842–843
pain control in, 837–838
patient education for prevention in, 838–841
physical therapy and manipulation in, 841–842
surgery in, 844–845
office evaluation of, 828–832
history in, 828–831
physical examination in, 831–832
scoliosis and, 834–835
spinal stenosis and, 836–837
spondylolisthesis and, 835–836
Lower gastrointestinal tract, bleeding in, **93–97**
etiology of, 94–95
management of, 95–97
Luteinizing hormone ovulation prediction kits, in clinical survey of infertility, 586

Magnetic resonance imaging, for knee pain, 806
Mallory-Weiss syndrome, management of, 38
Mammography, to screen for breast cancer, 654–655
Manometry, to measure reflux esophagitis, 16
March fractures, and foot pain, 825
Mastectomy, breast reconstruction after, 659–660
Mastitis, clinical features of, 646–647
Mefenamic acid, for menorrhagia, 572
for primary dysmenorrhea, 554–555
Menopause, **593–606**
and osteoporosis, 594–600
demographics of, 594–595
risk factors for, 595–596, 600
cardiovascular effects of, 600–603
hormone replacement therapy for, 603–605
vasomotor symptoms in, 593–594
Menorrhagia, treatment of, 571–572
Menstruation, endocrinology of, **607–616**
in female athlete, 612–615
luteal phase-secretory phase, 611–612
normal, 607
ovulation, 610–611

Menstruation (*Continued*)
endocrinology, proliferative phase/follicular phase, 607–610
in adolescents. See *Gynecology, adolescent.*
physiology of, 561–569
Metatarsalgia, and foot pain, 821
Methylxanthines, and fibrocystic breast changes, 648
Metoclopramide, for reflux esophagitis, 25–26
Metronidazole, for bacterial vaginosis, 527–529
for trichomoniasis, 538
Microalbuminuria, in diabetic patients, improvement of, control of glycemia and, 318
Morton's neuroma, and toe pain, 824–825
Mucus method, for contraception, 441–442
Musculoskeletal chest wall pain, **767–782**
applied anatomy in, 767–769
diagnosis and approach to, 769–771
history in, 770–771
laboratory investigation in, 771
physical examination in, 771
differential diagnosis of, 771–780
epidemic myalgia, 776
fibrositis syndrome, 777–779
precordial catch syndrome, 776
psychogenic regional pain syndrome, 779–780
rib trauma and swelling, 774
slipping rib syndrome, 775
Tietze's syndrome and costochondritis, 772–774
traumatic muscle pain and benign overuse myalgia, 775–776
Myalgia, benign overuse, vs. musculoskeletal chest wall pain, 775–776
epidemic, vs. musculoskeletal chest wall pain, 776
Mycoplasmas, and vaginitis, 539–540

Neck, pain in, **689–708**
causes of, 692–703
acceleration injury, 693–695
ankylosing spondylitis, 703
cervical strain or sprain, 692–693
diffuse idiopathic skeletal hyperostosis, 703
fractures, 702
in contact sport athlete, 693
neoplasm, 701
osteoarthritis, 695–696, 698
Paget's disease, 701–702
polymyalgia rheumatica, 702–703
rheumatoid arthritis, 698–700
temporal arteritis, 702–703
transient wryneck, 693
vertebral osteomyelitis, 700–701
diagnostic tests for, 703–704
management of, 704–705
physical examination of, 689–692
anatomic landmarks in, 689–690
range of motion in, 690–692
Neoplasms, spinal, and neck pain, 701
Nephropathy, diabetic, prevention of, 281–282
Neuroma, Joplin's, and toe pain, 823
Morton's, and toe pain, 824–825
Neuropathies, entrapment, and elbow pain, 733–734
and finger pain, 761–763
Neuropathy, diabetic, prevention of, 282
Nitroglycerin, for gastroesophageal varices, 179, 181
Nodulosis, rheumatoid, and finger pain, 760
Non-insulin-dependent diabetes mellitus, associated with hypertension. See *Hypertension.*
complications of, economic impact of, 428–429
dietary management of obese patient with, **327–351**
hypocaloric "balanced deficit" diets, 336–338
long-term, 341–343
short-term, 340–341
total fast, 332–334
variation of diet components, 338–340
very-low-calorie diets, 334–336
weight and glucose control, 343–344
economic impact of, **423–432**
control of, 429
direct costs, 423–428
allied health professionals, 425
hospitalization, 426–427
laboratory services, 426
nursing home care, 427
pharmacologic agents, 427–428
physician services, 424–425
self-management procedures, 426
indirect costs, 428
frequency of, 212–213
impact on society, 286–287
incidence of, 230–231
metabolic abnormalities in, 353–356
monitoring and treatment goals in, 671–672
monitoring techniques in. See *Blood glucose.*
oral hypoglycemic agents for. See *Oral hypoglycemic agents.*
pathogenesis of obese patient with, 328–332
pathophysiology and therapeutic implications of, 666–670
prevalence of, 228

risk factors for, 231, 234–235, 237–238
environmental and lifestyle, 242–245
metabolic, 238–242
pregnancy and, 245–246
screening for, **285–295**
controlling glycemia, 292–293
criteria for, 286
genetic influences and end-organ disease, 291
glycosylated hemoglobin in, 290–291
hyperglycemia and end-organ disease, 291
oral glucose tolerance test in, 289–290
positive predictive value defined, 288–289
sensitivity and specificity defined, 287–288
sensitivity and specificity of specific tests, 289
severe, sulfonylurea failure in, 674–675
Nonsteroidal anti-inflammatory agents, for primary dysmenorrhea, 554
in adolescents, 634
Norwalk-like agents, and viral gastroenteritis, 50–52, 54
Nystatin, for candidiasis, 532

Obesity, as risk factor for diabetes mellitus, 239–241
family role in maintenance of, in diabetic patient, 302–303
Oral contraceptives, 449–453. See also *Contraception*.
and candidiasis, 531
for anovulatory dysfunctional uterine bleeding, 571
for premenstrual syndrome, 483–484
for primary dysmenorrhea, in adolescents, 634–635
in adolescents, 638–639
Oral glucose tolerance test, to diagnose diabetes mellitus, 222
to diagnose non–insulin-dependent diabetes mellitus, 289–290
Oral hypoglycemic agents, for non–insulin-dependent diabetes mellitus, **353–369**
sulfonylureas, actions of, 356–357
first- vs. second-generation, 364
pharmacology of, 357–363
binding to albumin, 361
duration of action, 358, 360
route of metabolism, 360–361
side effects, 361–363
principles of management, 366–367
results of, 363–364
safety of, 365–366
vs. insulin, 364–366
Osgood-Schlatter's disease, and knee pain, 804
Osteoarthritis, acromioclavicular, and shoulder pain, 718
and hip pain, 785–790
diagnosis of, 785–788
treatment of, 788–790
total hip replacement in, 789–790
and neck pain, 695–696, 698
and wrist pain, 748
of interphalangeal joints, and finger pain, 754–755
Osteomyelitis, vertebral, and neck pain, 700–701
Osteonecrosis, and wrist pain, 748
Osteoporosis, menopause and. See *Menopause*.
Ovulation, endocrinology of, 610–611

Paget's disease, and neck pain, 701–702
Papanicolaou smear, abnormal, definition of, 465–469
evaluation of, **461–471**
colposcopy in, 467, 469
historical aspects of, 461–463
indications for, 463–465
Papillomas, intraductal, of breast, clinical features of, 647
Paronychia, and finger pain, 757
Patella, disorders of, and knee pain, 803–805
Pelvic inflammatory disease, 507–513
diagnosis of, 509–511
epidemiology of, 507–508
hospitalization criteria for, 512–513
in adolescents, 637
pathogenesis of, 508–509
treatment of, 511–512
Percutaneous transhepatic obliteration, of esophageal varices, 35
Periarthritis, of ankle, 810–820
dorsal midfoot, 819–820
inferior hindfoot, 813–814
lateral hindfoot, 816–817
medial hindfoot, 814–816
plantar midfoot, 818–819
posterior hindfoot, 811–813
Peripheral vascular disease, as risk factor for diabetes mellitus, 242
in diabetic patients with hypertension, 257
pH monitoring, to measure reflux esophagitis, 17–18
Phalen's test, for peripheral nerve entrapment syndrome, 746–747
Plasma lipids, as risk factor for diabetes mellitus, 241–242

Pleurodynia, epidemic, vs. musculoskeletal chest wall pain, 776
Podagra, and toe pain, 823
Podophyllin, for condyloma acuminatum, 497
Polymorphonuclear leukocytes, in stools, as sign of bacterial disease, 138
Polymyalgia rheumatica, and neck pain, 702–703
Polyol pathway, in diabetes mellitus, 279
Polyps, of colon, and lower gastrointestinal bleeding, 95
Precordial catch syndrome, vs. musculoskeletal chest wall pain, 776
Premenstrual syndrome, **473–487**
  definition of, 473–474
  diagnosis of, 477–478
  epidemiology of, 474–475
  etiology of, 475–477
  treatment of, 480–485
Proctosigmoidoscopy, to screen for colorectal cancer, 68–69
Progesterone, and fibrocystic breast changes, 648
  for anovulatory dysfunctional uterine bleeding, 570
  for premenstrual syndrome, 483
Propionic acid, for primary dysmenorrhea, 554
Propranolol, for gastroesophageal varices, 34, 181–182
Prostaglandin inhibitors, for premenstrual syndrome, 482–483
  for primary dysmenorrhea, in adolescents, 634
Prostaglandins, in premenstrual syndrome, 475
Pseudogout, and wrist pain, 744
Psychogenic regional pain syndrome, vs. musculoskeletal chest wall pain, 779–780
Psychometric tests, to diagnose irritable bowel syndrome, 106
Pyridoxine, for premenstrual syndrome, 481

Radionuclide scans, for knee pain, 805
Ranitidine, for reflux esophagitis, 24–25
Raynaud's disease, and finger pain, 758
Reflex sympathetic dystrophy syndrome, and finger pain, 763–764
  and shoulder pain, 717–718
Reflux esophagitis, **13–27**
  complications of, 20–21
  diagnosis of, 21–22
  differential diagnosis of, 13–15
  pathophysiology of, 15–20
  symptoms of, 13
  treatment of, 22, 24–28
Rehydration, oral, for bacterial diseases of colon, 138, 140–141
Renal disease, in diabetic patients with hypertension, 256–257
Retinopathy, diabetic, in diabetic patients with hypertension, 257
  prevention of, 282
  progression of, control of glycemia and, 317–318
Rheumatoid arthritis, and neck pain, 698–700
Ribs, disorders of, vs. musculoskeletal chest wall pain, 774–775
Rotator cuff, damage to, and shoulder pain, 721
Rotavirus, and viral gastroenteritis, 44, 46, 48–50

Salmonella, and diseases of colon, 128–129
Sclerotherapy, for gastroesophageal varices, 35, 182–183
Scoliosis, and low back pain, 834–835
Semen analysis, in clinical survey of infertility, 583–585
Sengstaken-Blakemore tube, for gastroesophageal varices, 178
Serum progesterone, in clinical survey of infertility, 586–587
Sesamoiditis, and toe pain, 822–823
Sexual abuse, in adolescents, 641
  in premenarchal girls, 622, 627–628
Sexually transmitted diseases. See specific diseases, e.g., *Gonorrhea*.
Shigella, and diseases of colon, 129–130
Shoulder, pain in, **709–724**
  clinical syndromes of, 713–721
    acromioclavicular osteoarthritis, 718
    adhesive capsulitis, 716
    inflammatory glenohumeral joint disease, 718–719
    reflex sympathetic dystrophy syndrome, 717–718
    rotator cuff damage, 721
    subacromial bursitis, 713, 715–716
    tendinitis, 717
    traumatic glenohumeral joint disease, 720
  physical examination of, 709–713
  uncommon causes of, 722
Shoulder girdle syndromes, and shoulder pain, 722
Shunting, portosystemic, for gastroesophageal varices, 177–178, 183
Sigmoidoscopy, flexible, and colonoscopy, **79–91**
    anatomy recognition guidelines, 84–86
    common questions on technique, 83

golden rules of technique, 83–84
indications for, 79–82
physician credentials for, 87–89
procedure for, 82–83
when to suspect perforation, 86–87
to diagnose irritable bowel syndrome, 105–106
SolcoTrichovac, for trichomoniasis, 538
Somatostatin, for gastroesophageal varices, 34, 181
Sperm penetration assay, in clinical survey of infertility, 585
Spermicides, vaginal, for contraception, 446–447
Spinal stenosis, and low back pain, 836–837
Spondylolisthesis, and low back pain, 835–836
Sponges, for contraception, 443–444
Stenosis, spinal, and low back pain, 836–837
Sterilization, for contraception, 454–455
Steroids, for contraception, 453–454
Streptococcus, and vaginitis, 541
Strictures, formation of, reflux esophagitis and, 21
Strokes, in diabetic patients with hypertension, 256
Subluxation, atlantoaxial, and neck pain, 699
Sucralfate, for reflux esophagitis, 26–27
Sulfonylureas, for non–insulin-dependent diabetes mellitus. See *Oral hypoglycemic agents*.
combined with insulin, 677–679
failure of, 674–675
vs. insulin, 667–671
Symptothermal method, for contraception, 442
Synovial fluid, analysis of, for knee pain, 805

Tarsal tunnel syndrome, and foot pain, 815–816
anterior, and foot pain, 820
Temporal arteritis, and neck pain, 702–703
Tendinitis, extensor, and foot pain, 819–820
infectious, and finger pain, 756–757
of long head of biceps, and shoulder pain, 717
supraspinatus, and shoulder pain, 713, 715–716
traumatic or overuse, and finger pain, 755–756
vs. knee pain, 799–800
Tennis elbow, and elbow pain, 731
Tenosynovitis, and wrist pain, 745–746
pigmented villonodular, and finger pain, 760
Thoracic outlet syndrome, and shoulder pain, 722
Tietze's syndrome, vs. musculoskeletal chest wall pain, 772–774
Tinel's test, for peripheral nerve entrapment syndrome, 746–747
Toe, pain in, 822–825
Tranquilizers, for premenstrual syndrome, 484
Trichloroacetic acid, for condyloma acuminatum, 497
Trichomoniasis. See *Vaginitis*.
Trigger finger, and finger pain, 755–756
Tumors, benign, of shoulder, and shoulder pain, 722
of fingers, and finger pain, 760

Ulcerative colitis, and lower gastrointestinal bleeding, 94–95
Ulcers, esophageal, reflux esophagitis and, 21
upper gastrointestinal, management of, 36–38
Ultrasonography, of acute cholecystitis, 150
of chronic cholecystitis, 151–152
Upper gastrointestinal tract, bleeding in, **31–41**
diagnosis of, 32–33
initial assessment of, 31–32
nonvariceal, 36–38
variceal, 33–35
Urine testing, to monitor non–insulin-dependent diabetes mellitus, 406

Vagina, bleeding from, in adolescents, 635–636
in premenarchal girls, 626–627
Vaginal rings, for contraception, 454
Vaginitis, **517–547**
atrophic, 541
bacterial vaginosis, 523–529
diagnosis of, 525–527
etiology of, 523–525
symptoms of, 525
treatment of, 527–529
candidiasis, 529–535
diagnosis of, 532
etiology of, 529–531
recurrent, 534–535
symptoms of, 531–532
treatment of, 532, 534
diagnosis of, 521–523
herpes simplex virus and, 540
human papilloma virus and, 540–541
mycoplasmas and, 539–540
normal vaginal flora, 518–521
physiologic discharge in, 523

Vaginitis (*Continued*)
Streptococcus and, 541
trichomoniasis, 535–539
diagnosis of, 537–538
etiology of, 535–537
symptoms of, 537
treatment of, 538
Varices, esophageal, bleeding, 33–35
gastroesophageal, in cirrhosis, **175–186**
balloon tamponade for, 178
beta-adrenergic blockade for, 181–182
diagnosis of, 176–177
initial management of, 175–176
nonshunting operations for, 183–184
variceal sclerotherapy for, 182–183
vasoconstrictive therapy for, 179, 181
Vascular ectasia, and lower gastrointestinal tract bleeding, 95
Vasectomy, for contraception, 454
Vasoconstrictive therapy, for gastroesophageal varices, 179, 181
Vasopressin, for gastroesophageal varices, 33–34, 179, 181
Viral hepatitis, **157–173**
etiologies of, 158–163
delta hepatitis, 162
hepatitis A, 158–159
hepatitis B, 159–162
non-A non-B hepatitis, 162–163
historical aspects of, 157–158
immunoprophylaxis for, 168–172
for hepatitis A, 168
for hepatitis B, 169–172
dosage and schedule, 170–171
need for booster, 171–172
postexposure, 168–169
management of, 167
pathology and pathogenesis of, 163–172
clinical and laboratory features, 165–166
hepatocellular carcinoma, 164–165
serologic diagnosis, 166–167
Viruses, and gastroenteritis. See *Gastroenteritis*.
Vitamin B_6, for premenstrual syndrome, 481
Vulva, lesions of, in premenarchal girls, 625–626
Vulvovaginitis, in premenarchal girls, 621–624

Warren's shunt, for gastroesophageal varices, 183
Wrist, pain in, **737–749**
diagnosis and approach to, 738–743
anatomy and physiology in, 738–739
aspiration in, 740
history in, 739
laboratory investigations in, 740
physical examination in, 739–740
radiological investigation in, 740–741, 743
differential diagnosis of, 737–738
presentation and management of, 743–748
in acute trauma, 743
in arthritis, 743–745
in osteoarthritis, 748
in osteonecrosis, 748
in peripheral nerve entrapment syndrome, 746–747
in soft tissue swelling, 747
in tenosynovitis, 745–746
Wryneck, transient, and neck pain, 693

Yersinia, and diseases of colon, 134–136